10616654 Page 2

Application/Control Number: 10/616,654

Art Unit: 3734

**DETAILED ACTION** 

## **EXAMINER'S AMENDMENT**

- An examiner's amendment to the record appears below. Should the changes and/or 1. additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue.
- 2. The application has been amended as follows:

Non-elected claims 1-3 without traverse have been canceled.

## CLAIM 10:

- Line 2: before "throat", change "the" to -- a --.
- Line 12: after "outer", change "shaft" to -- housing --.
- Shirly Line 12: after "outer", change "shaft" to -- housing.

  Skylizior Line 23: before "irrigating", change "the" to -- an --.

  Skylizior Line 30: before "irrigating", change "an" to -- the --.

  Skylizior Line 30: after "the", change "distal" to -- proximal --
  - Line 45. after "the", change "distal" to -- proximal --.

## **CLAIM 19:**

Line 12: after "outer", change "shaft" to -- housing --. 5R 9/12/07

> The following is an examiner's statement of reasons for allowance: the prior art of 3. reference has failed to disclose or suggest a method of performing surgery on a surgical site within a dry passage way including positioning an endoscope in the surgical site, an elongated